



## Sommario

### 5 PAROLA AL DIRETTORE

A cura di Ferruccio Ferruti

### 12 CALCIO

Portieri a confronto. Indagine sul modello scozzese

di Marco Squatrito

### 24

Quadro clinico della borsite trocanterica nel portiere

di Riccardo Benelli

### 30

Struttura di una batteria di test nel calcio

solo-professionistico

di Enrico Belli e Antonio La Torre

### 38

High Intensity Training. Allenamento ad alta intensità

di Giacomo Capelli e Pasquale D'Antonio

### 46

L'intelligenza artificiale ai servizi della match analysis. Un approccio rivoluzionario

di Cristiano Filippi, Aurora Rucicci, Stefano Di Chiara e Vito Turchetti

### FITNESS

54 L'allenamento ad alta intensità e le proposte nell'ambito dell'efficienza fisica dell'adulto

di Christa Allario

### PALLAVOLO

62 Organizzare la preparazione fisica nella pallanuoto in pre-season e in season

di Domenico de Gemaro

### ATELICA LEGGERA

66 Tip o lancio del giavellotto?

di Gabriele D'Amico

### TENNIS

72 Il polso del tennista

di Enrico Liggi, Riccardo Lisi e Luciano Luciani

### ALLENAMENTO

78 La bilancia energetica

di Michele Neri

### LETTI E COMMENTATI

84 Effetto di due settimane di allenamento di sprint

rispetto alla percezione dello sforzo dei calciatori

di Massimo Rampieri

### RUBRICHE

10 I nostri appuntamenti

A cura della redazione

52 Letture estive

A cura della redazione

90 La finestra su Il Nuovo Calcio

A cura della redazione

### 96 BIBLIOGRAFIE

A cura della redazione



8

## SCIENZA&SPORT N. 47 LUGLIO 2020

### COMPLEMENTO BIBLIOGRAFIE ARTICOLI

STEFANO CAPPELLI, PASQUALE D'ANTONIO

“HIGH INTENSITY TRAINING. L'ALLENAMENTO AD ALTA INTENSITÀ”

PAG. 50

#### BIBLIOGRAFIA:

- Andersson H, Raastad T, Nilsson J, et al. Neuromuscular fatigue and recovery in elite female soccer: effects of active recovery. *Med Sci Sports Exerc.* 2008;40:372–80.
- Astrand I, Astrand PO, Christensen EH, et al. Intermittent muscular work. *Acta Physiol Scand.* 1960;48:448–53.
- Astrand I, Astrand PO, Christensen EH, et al. Myohemoglobin as an oxygen-store in man. *Acta Physiol Scand.* 1960;48:454–60.
- Bangsbo J, Mohr M, Krstrup P. Physical and metabolic demands of training and match-play in the elite football player. *J Sports Sci.* 2006;24(7):665–74.
- Belfry GR, Paterson DH, Murias JM, et al. The effects of short recovery duration on VO(2) and muscle deoxygenation during intermittent exercise. *Eur J Appl Physiol.* 2012;112(5):1907–15.
- Binnie MJ, Peeling P, Pinnington H, et al. Effect of training surface on acute physiological responses following interval training. *J Strength Cond Res.* 2013; 27:1047–56.
- Billat LV, Renoux J, Pinoteau J, et al. Validation d'une épreuve maximale de temps limitée VMA (vitesse maximale aérobique) et a` VO2max. *Sci Sports.* 1994;9:3–12.
- Billat LV. Interval training for performance: a scientific and empirical practice: special recommendations for middle- and long-distance running. Part I: aerobic interval training. *Sports Med.* 2001;1:13–31.

- Bravo DF, Impellizzeri FM, Rampinini E, et al. Sprint vs. interval training in football. *Int J Sports Med.* 2008;29:668–74.
- Brughelli M, Cronin J, Levin G, et al. Understanding change of direction ability in sport: a review of resistance training studies. *Sports Med.* 2008;38:1045–63.
- Buchheit M, Bishop D, Haydar B, et al. Physiological responses to shuttle repeated-sprint running. *Int J Sport Med.* 2010; 31:402–9.
- Buchheit M, Cormie P, Abbiss CR, et al. Muscle deoxygenation during repeated sprint running: effect of active vs. passive recovery. *Int J Sports Med.* 2009;30:418–25.
- Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle: Part I: cardiopulmonary emphasis. *Sports Med.* 2013 May;43(5):313-38.
- Buchheit M, Laursen PB. High-intensity interval training, solutions to the programming puzzle. Part II: anaerobic energy, neuromuscular load and practical applications. *Sports Med.* 2013 Oct;43(10):927-54.
- Buchheit M. Performance and physiological responses to repeated-sprint and jump sequences. *Eur J Appl Physiol.* 2010;101:1007–18.194.
- Bujalance-Moreno P, Latorre-Román PÁ, García-Pinillos F. A systematic review on small-sided games in football players: Acute and chronic adaptations. *J Sports Sci.* 2019 Apr;37(8):921-949.
- Carling, C., Bloomfield, J., Nelsen, L., & Reilly, T. The role of motion analysis in elite soccer: Contemporary performance measurement techniques and work-rate data. *Sports Medicine*, 2008.38, 839–862.
- Carling, Le Gall & Dupont. Analysis of repeated high intensity running in professional soccer. *Journal of Sport Science.* 2012. 30(04) 325-336.
- Castagna C, D'Ottavio S, Cappelli S, Araújo Póvoas SC. The Effects of Long Sprint Ability-Oriented Small-Sided Games Using Different Ratios of Players to Pitch Area on Internal and External Load in Soccer Players. *Int J Sports Physiol Perform.* 2019 Aug 29:1265-1272.
- Castagna C, Francini L, Povoas SC, D'Ottavio S. Long Sprint Abilities in Soccer: Ball vs Running Drills. *Int J Sports Physiol Perform.* 2017:1-22.
- Dellal, A. (2008). Analyze of the soccer player physical activity and of its consequences in the training: Special reference to the high intensities intermittent exercises and the small sided-games. Strasbourg: 1325 Strasbourg, France, Department of Sport Sciences.
- Dellal, A., Varliette, C., Owen, A., Chirico, E. N., & Pialoux, V. (2012). Smallsided games versus interval training in amateur soccer players: Effects on the aerobic capacity and the ability to perform intermittent exercises with changes of direction. *J Str & Con Res*, 26(10), 2712–2720.

- Di Salvo V, Pigozzi F, González-Haro C, Laughlin MS, De Witt JK. Match Performance Comparison in Top English Soccer Leagues. *Int J Sports Med* 2013; 34(06): 526-532
- Dorado C, Sanchis-Moysi J, Calbet JA. Effects of recovery mode on performance, O<sub>2</sub> uptake, and O<sub>2</sub> deficit during high-intensity intermittent exercise. *Can J Appl Physiol.* 2004;29:227–44.
- Dupont G, Akakpo K, Berthoin S. The effect of in-season, high-intensity interval training in soccer players. *J Strength Cond Res.* 2004 Aug;18(3):584-9.
- Dupont G, Blondel N, Lensele G, et al. Critical velocity and time spent at a high level of VO<sub>2</sub> for short intermittent runs at supramaximal velocities. *Can J Appl Physiol.* 2002;27:103–15.
- Dupont G, Moalla W, Guinhouya C, et al. Passive versus active recovery during high-intensity intermittent exercises. *Med Sci Sports Exerc.* 2004;36:302–8.
- Faude O, Koch T, Meyer T. Straight sprinting is the most frequent action in goal situations in professional football. *J Sports Sci.* 2012;30:625-631.
- Faude O., Steffen, A., Kellmann, M., & Meyer, T. The effect of short term interval training during the competitive season on physical fitness and signs of fatigue: A crossover trial in high-level youth football players. *International Journal of Sports Physiology and Performance*, 9, 936–944.
- Girard O, Mendez-Villanueva A, Bishop D. Repeated-sprint ability—part I: factors contributing to fatigue. *Sports Med.* 2011;41:673–94
- Harling SA, Tong RJ, Mickleborough TD. The oxygen uptake response running to exhaustion at peak treadmill speed. *Med Sci Sports Exerc.* 2003;35:663–8.
- Helgerud J, Engen LC, Wisloff U, Hoff J. Aerobic endurance training improves soccer performance. *Med Sci Sports Exerc.* 2001 Nov;33(11):1925-31. PubMed PMID:11689745.
- Hill DW, Rowell AL. Responses to exercise at the velocity associated with VO<sub>2</sub>max. *Med Sci Sports Exerc.* 1997;29:113–6.
- Hill DW, Stevens EC. VO<sub>2</sub> response profiles in severe intensity exercise. *J Sports Med Phys Fitness.* 2005;45:239–47.
- Hill DW, Williams CS, Burt SE. Responses to exercise at 92% and 100% of the velocity associated with VO<sub>2</sub>max. *Int J Sports Med.* 1997;18:325–9.
- Hill-Haas, S., Coutts, A., Rowsell, G., & Dawson, B. (2009). Generic versus small-sided game training in soccer. *International Journal of Sports Medicine*, 30(9), 636–642.
- Hoff J, Wisloff U, Engen LC, et al. Soccer specific aerobic endurance training. *Br J Sports Med.* 2002;36:218–21.

- Hughson RL, O'Leary DD, Betik AC, et al. Kinetics of oxygen uptake at the onset of exercise near or above peak oxygen uptake. *J Appl Physiol*. 2000;88:1812–9.
- Iaia FM, Hellsten Y, Nielsen JJ, Fernstrom M, Sahlin K, Bangsbo J. Four weeks of speed endurance training reduces energy expenditure during exercise and maintains muscle oxidative capacity despite a reduction in training volume. *J Appl Physiol* 2009; 106: 73–80.
- Iaia FM, Bangsbo J. Speed endurance training is a powerful stimulus for physiological adaptations and performance improvements of athletes. *Scand J Med Sci Sports*. 2010 Oct;20 Suppl 2:11-23.
- Impellizzeri FM, Marcora SM, Castagna C, Reilly T, Sassi A, Iaia FM, Rampinini E. Physiological and performance effects of generic versus specific aerobic training in soccer players. *Int J Sports Med*. 2006 Jun;27(6):483-92.
- Ingebrigtsen J, Shalfawi SA, Tonnessen E, Krstrup P, Holtermann A. Performance effects of 6 weeks of aerobic production training in junior elite soccer players. *J. Strength Cond Res*. 2013;27:1861-1867.
- Krstrup P, Ortenblad N, Nielsen J, et al. Maximal voluntary contraction force, SR function and glycogen resynthesis during the first 72 h after a high-level competitive soccer game. *Eur J Appl Physiol*. 2011; 111:2987–95.
- Laursen PB, Shing CM, Jenkins DG. Temporal aspects of the VO<sub>2</sub> response at the power output associated with VO<sub>2</sub>peak in well trained cyclists: implications for interval training prescription. *Res Q Exerc Sport*. 2004;75:423–8.
- Los Arcos, A., Vázquez, J. S., Martín, J., Lerga, J., Sánchez, F., Villagra, F., . . . Piacentini, M. F. (2015). Effects of small-sided games vs. interval training in aerobic fitness and physical enjoyment in young elite soccer players. *PloS One*, 10(9), 1–10.
- Midgley AW, McNaughton LR. Time at or near VO<sub>2</sub>max during continuous and intermittent running: a review with special reference to considerations for the optimisation of training protocols to elicit the longest time at or near VO<sub>2</sub>max. *J Sports Med Phys Fitness*. 2006;46:1-14.
- Millet GP, Candau R, Fattori P, et al. VO<sub>2</sub> responses to different intermittent runs at velocity associated with VO<sub>2</sub>max. *Can J Appl Physiol*. 2003;28:410–23.
- Millet GP, Libicz S, Borrani F, et al. Effects of increase intensity of intermittent training in runners with differing VO<sub>2</sub> kinetics. *Eur J Appl Physiol*. 2003;90:50–7.
- Mohr, M., Krstrup, P., & Bangsbo, J. Match performance of high-standard soccer players with special reference to development of fatigue. *Journal of Sports Sciences*, 2003, 21, 519–528.
- Norris SR, Petersen SR. Effects of endurance training on transient oxygen uptake responses in cyclists. *J Sports Sci*. 1998;16:733–8.

- Osgnach C, Poser S, Bernardini R, Rinaldo R, di Prampero PE. Energy cost and metabolic power in elite soccer: a new match analysis approach. *Med Sci Sports Exerc.* 2010;42:170-178.
- Page RM, Langley B, Finlay MJ, Greig M, Brogden C. The cumulative and residual fatigue response associated with soccer-specific activity performed on different playing surfaces. *J Sports Sci.* 2020 Mar;38(5):568-575.
- Radziminski, L., Rompa, P., Barnat, W., Dargiewicz, R., & Jastrzebski, Z. (2013). A comparison of the physiological and technical effects of high-intensity running and small-sided games in young soccer players. *International Journal of Sports Science & Coaching*, 8(3), 455–465.
- Rozenek R, Funato K, Kubo J, et al. Physiological responses to interval training sessions at velocities associated with VO<sub>2</sub>max. *J Strength Cond Res.* 2007;21:188–92.
- Rozenek R, Funato K, Kubo J, et al. Physiological responses to interval training sessions at velocities associated with VO<sub>2</sub>max. *J Strength Cond Res.* 2007;21:188–92.
- Spencer M, Bishop D, Dawson B, et al. Metabolism and performance in repeated cycle sprints: active versus passive recovery. *Med Sci Sports Exerc.* 2006;38:1492–9.
- Stølen T, Chamari K, Castagna C, Wisloff U. Physiology of soccer: an update. *Sports Med.* 2005;35:501-536.
- Tabata I, Irisawa K, Kouzaki M, et al. Metabolic profile of high intensity intermittent exercises. *Med Sci Sports Exerc.* 1997;29:390–5.
- Thevenet D, Tardieu M, Zouhal H, et al. Influence of exercise intensity on time spent at high percentage of maximal oxygen uptake during an intermittent session in young endurance-trained athletes. *Eur J Appl Physiol.* 2007;102:19–26.
- Thomassen M, Christensen PM, Gunnarsson TP, Nybo L, Bangsbo J. Effect of 2-wk intensified training and inactivity on muscle Na<sup>+</sup>-K<sup>+</sup> pump expression, phospholemman (FXD1) phosphorylation, and performance in soccer players. *J Appl Physiol.* 2010;108:898-905.
- Wakefield BR, Glaister M. Influence of work-interval intensity and duration on time spent at a high percentage of VO<sub>2</sub>max during intermittent supramaximal exercise. *J Strength Cond Res.* 2009;23:2548–54.
- Weltman A, Stamford BA, Fulco C. Recovery from maximal effort exercise: lactate disappearance and subsequent performance. *J Appl Physiol.* 1979;47:677–82.
- Williams AM, Horn RR, Hodges NJ. Skill acquisition. In: Reilly T, Williams AM (eds). *Science and Soccer*. London, UK: Routledge, 2003: 198 –213.
- Zamparo P, Bolomini F, Nardello F, Beato M. Energetics (and kinematics) of short shuttle runs. *Eur J Appl Physiol.* 2015 Sep;115(9):1985-94.

